# All India Council for Technical Education





Nelson Mandela Marg, Vasant Kunj, New Delhi-110070 Website: https://www.aicte-india.org

## **APPROVAL PROCESS 2022-23**

## **Application Deficiency Report**

\_

### **DEFICIENCY REPORT AS PER APPLIED INTAKE (Applicable for Existing Institutions only)**

Regional Office	Western	Overall Deficiency of Institu	ution:	No
Application ID	1-10973299841		Permanent ID	1-413854521
Name of the Institution	Shri Sai Polytechnic		Address	Near Kundan Plaza Hotel, Nagpur Road, Chandrapur
City/Village	Chandrapur		District	Chandrapur
State	Maharashtra		PIN	442401

)i	r	e	C	t	0	r	P	r	İ	n	C	į	p	8	ıl	)	e	t	a	i	5	ò

Designation	Name	Appointment Type	Qualification	PhD	Eligible as per AICTE Norms (YES/NO)
Director/Principal	Shishir Pilare	Regular	B.E.(PRODUCTION), M.TECH.(CAD/CAM),	No	No

Other Details
---------------

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	List of Faculty Member and Data Uploaded on the Institution Web Portal	Yes	No
2.	Are all Approved Teaching Faculty Member being Paid as per Present Pay VI/Scale/Commission?	Yes	No
3.	Whether Institution is Operating from Permanent Site?	Yes	No
4.	Fees to be Charged, Reservation Policy, Admission Policy and Document Retention Policy are Uploaded in Institution's Website?	Yes	No
5.	Courses/Approved Intake Displayed at the Entrance of the Institution?	Yes	No

### **Anti-Ragging Related Deficiency Status**

Sr. No.	Particulars	Status Provided by the Institution	Deficiency
1.	Constitution of Anti-Ragging Committee	Yes	No
2.	Constitution of Anti-Ragging Squad	Yes	No
3.	Undertaking Obtained from all Students	Yes	No
4.	Appointment of Counselors	Yes	No
5.	Undertaking Obtained from Parents of all the Students	Yes	No
6.	Undertaking Obtained from Students Staying in Hostel	Yes	No
7.	Undertaking Obtained from Parents of Students Staying in Hostel	Yes	No

#### **Institution Level Faculty Member**

Sr. No.	Particulars	Actual No.	Required No. as per CI	Deficiency
1.	Total Faculty(UG+PG+Diploma)	58	56	No

Adminis	strative Area			
Sr. No.	Particulars	Actual Room Area (Sq.m.)	Expected Room Area (Sq.m.)	Deficiency

Date of Signature(dd/mm/yyyy Seal of Institution Name & Signature of Director/Principal

Printed By: aic001399 Page 1 of 4

# **Application Deficiency Report**



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-21/04/2022

1.	Board Room	91	20	No
2.	Department Offices/Cabin for Head of Dept	208	120	No
3.	Central Store	30	30	No
4.	Exam Control Office	30	30	No
5.	Housekeeping	10	10	No
6.	Maintenance	10	10	No
7.	Office All Inclusive	151	150	No
8.	Placement Office	50	30	No
9.	Principal Directors Office	31	30	No
10.	Security	10	10	No
TOTAL		621.00	440.00	

<u>Ameniti</u>	es Area			
Sr. No.	Particulars	Actual Room Area (Sq. m.)	Expected Room Area (Sq. m.)	Deficiency
1.	Boys Common Room	92.08	75	No
2.	Cafeteria	165	150	No
3.	First aid cum Sick Room	12.4	10	No
4.	Girls Common Room	87.14	75	No
5.	Stationery Store	24	10	No
TOTAL		380.62	320.00	

Computational Facilities						
Sr. No.	Particulars	Available	Required	Deficiency		
1.	Printers	23	11	No		
2.	A1 size Color Printers	1	0	No		
3.	Number of PCs in Language lab	25	20	No		
4.	Legal Application S/W	22	20	No		
5.	Legal System S/W	6	3	No		
6.	PCs to Student ratio	233	220	No		

<b>Library</b>	<u>Library Facilities</u>						
Sr. No.	Particulars	Available	Required	Deficiency			
1.	Volumes	19142	9500	No			
2.	Titles	3970	1550	No			
3.	Journals	19	18	No			
4.	Library Management Software	1	1	No			
5.	Reading Room Seating Capacity	200	150	No			
6.	MultiMediaPC	20	10	No			
			2				

Instructional Area-Common Facilities					
Sr. No.	Particulars	Available	Required Deficiency		
1.	Computer Center	151	150	No	

Date of Signature(dd/mm/yyyy

Seal of Institution

Name & Signature of Director/Principal

Printed By: aic001399

# **Application Deficiency Report**



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-21/04/2022

2.	Library & Reading Room	376	325	No
3.	Language Laboratory	66	33	No
TOTAL		593.00	508.00	

Land Area Details					
Sr. No.	Particulars	Available	Required	Deficiency	
1.	Total Area of Land	2.56	1.5	No	
2.	Maximum number of Pieces	1	3	No	

Existing Programme / ENGINEERING AND TECHNOLOGY-Diploma					
Sr. No.	Particulars	Level	Actual Room Area (Sqm)	Expected Room Area (Sqm)	Deficiency
1.	Classroom	DIPLOMA	1414	1320	No
2.	Tutorial Room	DIPLOMA	333	165	No
3.	Seminar Hall	DIPLOMA	135	132	No
4.	Additional Workshop	DIPLOMA	150	150	No
5.	Drawing Hall	DIPLOMA	165	132	No
6.	Workshop	DIPLOMA	251	200	No
7.	Laboratory	DIPLOMA	2905	1848	No
TOTAL			5353.00	3947.00	

Other Facilities					
Sr. No.	Particulars Particulars	Availability	Deficiency		
1.	All Weather Approach(Motorised Road)	Yes	No		
2.	Safety Provisions	Yes	No		
3.	Sewage Disposal System	Yes	No		
4.	Telephone	Yes	No		
5.	Vehicle Parking	Yes	No		
6.	First Aid	Yes	No		
7.	Appointment of Student Counselor	Yes	No		
8.	Establishment of Anti-Ragging Committee	Yes	No		
9.	Establishment of Committee for SC/ST	Yes	No		
10.	Establishment of Internal Complaint Committee(ICC)	Yes	No		
11.	Establishment of Grievance Redressal Committee/OMBUDSMAN	Yes	No		
12.	Barrier free Enviroment	Yes	No		
13.	AICTE Approval Letters- EoA/LoA	Yes	No		
14.	Institution-Industry Cell	Yes	No		
15.	Digital Payment-Financial Transactions	Yes	No		
16.	Food Safety and Standards	Yes	No		
17.	Insurance for Students	Yes	No		
18.	Online Grievance Rederssal Mechanism	Yes	No		
19.	Internal Quality Assurance Cell	Yes	No		
20.	Fire and Safety Certificate	Yes	No		

Date of Signature(dd/mm/yyyy

Seal of Institution

Name & Signature of Director/Principal

## **Application Deficiency Report**



Application Status: Submitted
Application Sub-Status: Payment Received

Report Generated on :-21/04/2022

21.	Atleast 5 MoUs with industries	Yes	No
22.	Display of info submitted to AICTE on website	Yes	No
23.	General Insurance	Yes	No
24.	Backup Electric Supply	Yes	No
25.	Group accident policy for employees	Yes	No
26.	Implementation of student Induction Programme	Yes	No
27.	Waste Management and a sustainable Green Campus	Yes	No
28.	Display of Course(s) and Approved In entrance	Yes	No
29.	Institution Web Site-Mandatory Disclosure	Yes	No
30.	Medical & Counseling	Yes	No
31.	Notice Boards	Yes	No
32.	Potable Water Supply	Yes	No

#### **DECLARATION**

#### BY THE AUTHORIZED SIGNATORY OF THE INSTITUTION/DEPARTMENT

I, as the Head of the Institution, hereby declare that:

- a) I have carefully gone through the AICTE Regulations 2021, published in the Gazette of India Extraordinary Part III, Section- 4 dated 04th February, 2021, also all provisions mentioned in the Approval Process Handbook 2022-23.
- b) I am fully aware of the data uploaded by me in respect of my Institution on the web portal.
- c) I am aware that there is no provision for correction of data, alteration of data, subsequent editing and appeal etc. for the online application once submitted on the web portal.
- d) I am also aware that application for seeking Extension of Approval(EOA), Increase/Reduction of intake, Addition of new courses, Change of site, Closure of course, Supernumerary Seats under FN/Gulf quota Approval status/OCI, NRI, Change of name, and Conversion of women Institution into Co-ed Institution and vice versa (as applicable), shall be processed as per relevant provisions enumerated in the Approval Process Handbook 2022-23.
- e) I am aware of the Deficiencies (if any) pointed out in the Report generated online, based on the factual data uploaded by my Institution on the web portal.
- f) I am also aware that Institution is eligible for grant of Extension of Approval to the Existing Institutions, Extended EoA(if Applicable as per APH 2022-23), Change in name of the Course(s)/ Reduction in Intake/ Closure of Programme(s) and/ or Course(s), only on fulfillment of prescribed norms & requirements as mentioned in the Approval Process Handbook 2022-23.

Signature of Authorized Signatory

Name: